

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

relation to the subject of yellow fever in Europe. The bulletins of the yellow-fever institute (Public Health and Marine-Hospital Service), giving the history of yellow fever in Europe, recount that the latest recorded occurrence of yellow fever in Spain was in 1878, when the disease invaded the capital of Madrid and attacked 50 persons, of whom 30 died. All the victims on that occasion were soldiers from Havana, who were disembarked at Santander and transported by rail to Madrid. Apart from cases at quarantine stations, the latest appearance of yellow fever in Europe was in 1894, when 2 seamen died from the disease in a hospital in Trieste, Austria. These seamen were landed at Genoa from the Italian steamship Colombo and went at once to Trieste. The Colombo sailed from Brazil and had yellow fever on board during the passage.

Respectfully,

J. M. EAGER,
Passed Assistant Surgeon.

The SURGEON-GENERAL.

JAPAN.

Reports from Yokohama—Cholera situation in Japan.

YOKOHAMA, JAPAN, August 26, 1902.

SIR: I have the honor to transmit herewith abstract of bills of health for the week ended August 23, 1902. There were inspected 5 vessels, having a total personnel of 265 crew and 180 passengers.

During the past week the following cases of infectious diseases occurred in this city: Enteric fever, 4 cases, no deaths; dysentery, 10 cases, 2 deaths; diphtheria, 2 cases, 1 death. No case of grave quarantinable disease has been reported in Yokohama since the 5th instant, when a

single case of cholera, as previously mentioned, occurred.

Recent press reports mention occasional cases of "giji" (i. e., spurious) cholera as existing in Tokyo, which, however, lack official confirmation. With the exceptions above noted, no recent case of cholera has been reported within a distance of 200 miles, for Yokohama and the northern portion of the Empire generally seem to be free from this infection. On the other hand, numerous foci of infection are scattered throughout the island of Kyushu, the island of Shikoku, and the southern portion of Hondo, where, on the whole, the cholera situation shows no improvement. Among the important cities in which cholera exists at present, are Osaka, Kyoto, Moji, Nagasaki, and Kobe.

Respectfully,

DUNLOP MOORE,

Assistant Surgeon.

The SURGEON-GENERAL.

Cholera situation up to August 28, 1902.

YOKOHAMA, JAPAN, August 30, 1902.

SIR: I have the honor to transmit herewith an official statement of the cholera situation in Japan up to August 28, 1902. This table has been translated for me at the consulate-general from the vernacular press of even date.

Respectfully,

DUNLOP MOORE,

Assistant Surgeon.

The Surgeon-General.

[Inclosure.]

Fu or Ken.	Cases.	Deaths.	Fu or Ken.	Cases.	Deaths.
Tokyo Kyoto Osaka Hyogo Nagasaki Nara Shimane Okayama Hiroshima Yamaguchi	19 201 43 98 2 5 1,602 47 155	(a) (a) (a) (a) (a) (a) (a) (a) (a)	Tokushima Kagawa Ehime Kochi Fukuoka Oita Kumamoto Saga Kagoshima Shiga	1,025 141 2 788 81 11 98	(a) (a) (a) 452 (452 (452 (472) (473) (474

a Not yet reported.

Report of cholera cases and deaths in Japan during present outbreak.

YOKOHAMA, JAPAN, September 3, 1902.

SIR: I have the honor to transmit herewith abstract of bills of health for the week ended August 30, 1902. There were inspected 6 vessels having an aggregate personnel of 475 crew and 432 passengers; 90 steerage passengers were bathed and 150 pieces of baggage were disinfected.

The official return for the past week shows Yokohama to be free from cholera, plague, and smallpox. For the same period there were reported in this city 10 cases of enteric fever with 2 deaths, and 10 cases of dysentery with 1 death. A case of cholera occurred in Tokyo on the 31st ultimo. With this exception, no recent case has been reported in the vicinity of Yokohama.

A statement, believed to be authoritative, of the total number of cholera cases and deaths reported in Japan during the present outbreak is herewith inclosed. Approximately, the period covered extends from June 1, 1902, to August 31, 1902.

Discrepancies between this statement and others which have reached me seem to indicate that merely "suspicious" cases have been excluded from the inclosed statistics. For instance, under date of August 30, the United States consul at Nagasaki reports for Nagasaki Ken a total since outbreak of 450 cases with 195 deaths, against the 114 cases with 31 deaths of the inclosed table. Generally speaking, the cholera situation in southern Japan is growing worse.

Respectfully,

DUNLOP MOORE. Assistant Surgeon.

The Surgeon-General.

[Inclosure.]

Fu or Ken.	Cases.	Deaths.	Fu or Ken.	Cases	Deaths.
Tokyo, Fu	58 276 61 114 2 9 7 1,736 79	4 36 56 26 31 (a) (a) (a) (a) (a) (a) (a)	Wakayama Tokushima. Kagawa Ehime. Kochi Fukuoka Oita. Saga Kumamoto. Miazaki Kagoshima. Okinawa	1,315 184 3 846 143 101 82 16	(a) (a) 608 82 2 489 49 60 48